


中国认可
国际互认
检测
TESTING
CNAS L0793

检 验 报 告

TEST REPORT

产 品 名 称:	室内加热器
Name of product:	Indoor Heater
检 验 类 别:	委托检验
Test category:	Entrustment Inspection
委 托 单 位:	安徽宜度环境设备有限公司
Applicant:	Anhui Easy °C Equipment Co.,Ltd.
生 产 者 (制 造 商):	安徽宜度环境设备有限公司
Manufacturer:	Anhui Easy °C Equipment Co.,Ltd.
生 产 企 业:	安徽宜度环境设备有限公司
Factory:	Anhui Easy °C Equipment Co.,Ltd.

中家院（北京）检测认证有限公司
CHEARI (Beijing) Certification & Testing Co., Ltd.



检 验 报 告

TEST REPORT

报告编号 No. WRn-25-0196

共 14 页 第 2 页

产品名称 Name of product	室内加热器 Indoor Heater	型号规格 Type/model ref.	YDHACL032B 3200W 220V~ 50Hz
商标 Trade mark	宜度环境 Easy °C	样品等级 Sample grade	合格品 Qualified products
检验类别 Test category	委托检验 Entrustment Inspection	样品来源 Sample provided by	☒ 送样 ☐ 抽样
样品数量 Sample amount	1	样品编号 Sample No.	2520-22889-01
委托单位/地址 Applicant / Address	安徽宜度环境设备有限公司/安徽省宿州市砀山县开发区惠民社区道北路 19 号 Anhui Easy °C Equipment Co.,Ltd. / South sideof Dao Bei East Road,Huimin Community,Economic Development Zone,Dangshan County,Suzhou City.Anhui Province.		
生产者（制造商）/地址 Manufacturer / Address	安徽宜度环境设备有限公司/安徽省宿州市砀山县开发区惠民社区道北路 19 号 Anhui Easy °C Equipment Co.,Ltd. / South sideof Dao Bei East Road,Huimin Community,Economic Development Zone,Dangshan County,Suzhou City.Anhui Province.		
生产企业/地址 Factory/ Address	安徽宜度环境设备有限公司/安徽省宿州市砀山县开发区惠民社区道北路 19 号 Anhui Easy °C Equipment Co.,Ltd. / South sideof Dao Bei East Road,Huimin Community,Economic Development Zone,Dangshan County,Suzhou City.Anhui Province.		
检验依据 Test standard or method	GB/T 4706.1-2024 家用和类似用途电器的安全 第 1 部分：通用要求 GB/T 4706.23-2024 家用和类似用途电器的安全 第 23 部分：室内加热器的特殊要求		
判定依据 Decision basis	GB/T 4706.1-2024 家用和类似用途电器的安全 第 1 部分：通用要求 GB/T 4706.23-2024 家用和类似用途电器的安全 第 23 部分：室内加热器的特殊要求		

检 验 报 告

TEST REPORT

报告编号 No. WRn-25-0196

共 14 页 第 3 页

检验结论:

Test Conclusion:

受安徽宜度环境设备有限公司的委托, 对该公司生产的 YDHACL032B 型室内加热器依据 GB/T 4706.1-2024《家用和类似用途电器的安全 第1部分: 通用要求》和 GB/T 4706.23-2024《家用和类似用途电器的安全 第23部分: 室内加热器的特殊要求》标准要求进行标志和说明、对触及带电部件的防护、输入功率和电流、工作温度下的泄漏电流和电气强度、稳定性和机械危险、机械强度、内部布线、电源连接和外部软线、接地措施项目的检验, 所检项目的检验结果符合标准要求。

Commissioned by Anhui Easy °C Equipment Co., Ltd., the YDHACC032B Indoor heater produced by Anhui Easy °C Equipment Co., Ltd. is marked and explained in accordance with the requirements of GB/T 4706.1-2024 Safety of household and similar electrical appliances - Part 1: General requirements and GB/T 4706.23-2024 Safety of household and similar electrical appliances - Part 23: Special requirements for indoor heaters. The inspection results of the tested items include Marking and instructions, Protection against access to live parts, Power input and current, leakage current and electrical strength at operating temperature, stability and mechanical hazard, mechanical strength, internal wiring, Supply connection and external flexible cords, and Provision for earthing.. The inspection results of the tested items meet All inspected items meet the requirements of the standards.

(以下空白)

(本报告中委托方对样品和相关资料的真实性负责, 检测机构仅对检验数据的准确性负责。)

(Statement: In the test report, the applicant is responsible for the authenticity of the sample and the relevant information. Testing lab is responsible for the accuracy of test data only.)

签发日期: 2025 年 8 月 14 日
Date of issue:



主检:

Tested by

审核:

Reviewed by

批准:

Approved by

检验说明

Test Instruction

1. 检测开始前对被检样品的确认:

样品未发现异常[☒] 尚可满足检验需要[☒]

样品数量符合检验需要[☒] 样品实物与委托单填写内容相符[☒]

2. 在本报告中:

“通过”表示该项检验结果符合标准要求;

“符合”表示该章检验结论(判定项)符合标准要求;

“不通过”表示该项检验结果不符合标准要求;

“不符合”表示该章检验结论(判定项)不符合标准要求;

“--”表示该项要求不适用或检验结论不判定;

在本记录中,以“[]”形式提供选项时,“[☒]”表示该项被选中。

以“□”形式提供选项时,“☒或☒”表示该项被选中。

3. 本次样品接收日期 2025 年 07 月 21 日

检测开始日期 2025 年 07 月 21 日

检测结束日期 2025 年 08 月 14 日

4. 本次检测活动实施地点为:

[☒]北京市北京经济技术开发区博兴八路3号

[]北京市北京经济技术开发区科创十三街31号院二区17号楼、19号楼

[]北京市西城区下斜街29号

[]安徽省滁州市腰铺镇丰乐大道2588号1号楼、2号楼

[]安徽省滁州市明湖大道88号中试研发楼

[]浙江省慈溪高新技术产业开发区天亿健康产业园16号楼1-3层

[]广东省佛山市顺德区容桂街道海尾社区德龙东路1号桂龙工业区1栋1-2层

[]离开固定场所,具体地址为: _____

5. 本次检验依据委托方要求,对样机进行 GB/T 4706.1-2024、GB/T 4706.23-2024 标准第 7、8、10、13、20、21、23、25、27 章的检验。

6. 本次检验未对样品的元件单独进行检验,未对标准适用范围以外的使用功能进行检验。

7. 对产品描述页中与试验无关的项目未加以描述。

(以下空白)

样品描述及照片

Sample Description/ Sample Photo



1. 防触电保护类别: 0类[] 0I类[] I类[☒] II类[] III类[]
 (1. Protection category against electric shock: Class 0 [] Class 0I [] Class I [☒] Class II [] Class III [])
2. 器具类型: 便携式[] 手持式[] 驻立式[☒] (固定式[☒] 嵌装式[])
 (2. Type of appliance: Portable [] Handheld [] Stationary [☒] (Fixed [☒] Embedded []))
3. 与电源连接的方式:
 不打算永久性连接到固定布线:
 ——装有一个插头的电源软线, 插头的电流额定值和电压额定值不应低于相关器具的对应额定值
 [] (X连接[] Y连接[] Z连接[])
 ——至少与器具要求的防水等级相同的器具输入插口[]
 ——用来插入到输出插座的插脚 []
 打算永久性连接到固定布线:
 ——允许连接柔性软线的一组接线端子[]
 ——一根已装好的电源软线[]
 ——容纳在适合的隔间内的一组电源引线[]
 ——允许连接具有 26.6 规定的标称横截面积的固定布线电缆的一组接线端子[☒]
 ——允许连接适当类型的电缆或导管的一组接线端子和电缆入口、导管入口、预留的现场成形孔或压盖
 (3. Connection method with power supply:
 Not intending to permanently connect to fixed wiring:
 --- A power cord equipped with a plug, the current rating and voltage rating of the plug should not be lower than the corresponding ratings of the relevant appliance [] (X connection [] Y connection [] Z connection [])
 -- Appliance input socket with at least the same waterproof rating as required by the appliance []
 -- Pins used for insertion into output sockets
 Intend to connect permanently to fixed wiring:
 -- A set of wiring terminals [] allowing connection of flexible cords
 "——A power cord that has been installed []"
 -- A set of power leads housed within a suitable compartment []
 -- A set of terminal blocks that allows the connection of fixed wiring cables with a nominal cross-sectional area specified in 26.6 [☒]
 -- A set of wiring terminals and cable entries, conduit entries, reserved on-site forming holes, or glands that allow the connection of appropriate types of cables or conduits)
4. 产品特殊描述:
 室内加热器:
 辐射式加热器[] 板状加热器[] 充液式加热器[] 风扇式加热器[☒]
 对流式加热器[] 管状加热器[] 花房使用的加热器[] 用于衣橱的加热器[]
 有防覆盖保护[] 无防覆盖保护[☒]
 单一加热功能[☒] 多种加热功能组合[] 加热与通风组合[]
 地板安装[] 墙壁安装[☒] 高位安装[] 非高位安装[☒] 天花板安装[]
 可被邻近安装[] 可用于建筑场合[] 液体容器可由使用者充灌[]
 运输和储存时防火保护罩可被拆卸[]
 (4. Special product description:
 Indoor heater:
 Radiant heater [] Plate heater [] Liquid-filled heater [] Fan heater [☒]
 Convection heater [] Tubular heater [] Heater used in greenhouses [] Heater used in wardrobes []

样 品 描 述 及 照 片
Sample Description/ Sample Photo

With anti-cover protection [] Without anti-cover protection [☒]
Single heating function [☒] Multiple heating function combinations [] Combination of heating and ventilation []
Floor installation [] Wall installation [☒] High-level installation []
Non-high-level installation [☒] Ceiling installation []
Can be installed adjacent to each other [] Can be used in construction sites [] Liquid containers can be filled by the user []
The fireproof protective cover can be removed during transportation and storage [])


(以下空白)

样品描述及照片
Sample Description/ Sample Photo




警示语 (Warning language)

样品描述及照片
Sample Description/ Sample Photo



正面外观 (Appearance)




背面外观 (Appearance)


样品描述及照片
Sample Description/ Sample Photo



接线盒 (Junction box)



入线口 (Entrance port)




接线柱 (Terminal)

样品描述及照片
Sample Description/ Sample Photo




控制面板 (Control panel)



内部结构 (Internal construction)

样品描述及照片
Sample Description/ Sample Photo



接地措施 (Provision for earthing)

检 验 结 果 Test Result

GB/T 4706.1-2024 GB/T 4706.23-2024

序号 Number	检验项目 Inspection items		计量单位 Unit of measurem ent	标准值 Standard value	检验结果 Test Result	单项判定 Single item judgment
1.	标志和说明/ Marking and instructions		--	见 GB/T 4706.1-2024, GB/T 4706.23-2024 第 7 章	通过 Pass	符合 Conform
2.	对触及带电部件的防护/ Protection against access to live parts		--	见 GB/T 4706.1-2024, GB/T 4706.23-2024 第 8 章	通过 Pass	符合 Conform
3.	输入功率和电 流/ Power input and current	输入功率/ power Input	W	上限(upper limit): <u>+5%</u> 下限(lower limit): <u>-10%</u>	3094.4W/ -3.3%/通过 Pass	符合 Conform
		输入电流/ current Input	A	--		
4.	工作温度下的 泄漏电流和电 气强度/ Leakage current and electric strength at operating temperature	工作温度 下的泄漏 电流/ Leakage current at working temperatu re	mA	≤3.5	0.044/通过 Pass	符合 Conform
				≤0.35 (峰值) (Peak value)	0.027/通过 Pass	符合 Conform
		工作温度 下的电气 强度/ Electrica l strength at working temperatu re	V	基本绝缘 1000V, 1min 不击穿 (Basic insulation 1000V, no breakdown for 1 minute)	通过 Pass	符合 Conform
				加强绝缘 3000V, 1min 不击穿 (Enhanced insulation, 3000V, no breakdown for 1 minute)	通过 Pass	符合 Conform
5.	稳定性和机械危险/ Stability and mechanical hazards		--	见 GB/T 4706.1-2024, GB/T 4706.23-2024 第 20 章	通过 Pass	符合 Conform
6.	机械强度/ Mechanical strength		--	见 GB/T 4706.1-2024, GB/T 4706.23-2024 第 21 章	通过 Pass	符合 Conform
7.	内部布线/ Internal wiring		--	见 GB/T 4706.1-2024, GB/T 4706.23-2024 第 23 章	通过 Pass	符合 Conform

检 验 结 果
Test Result

GB/T 4706.1-2024 GB/T 4706.23-2024

序号 Number	检验项目 Inspection items		计量单位 Unit of measurem ent	标准值 Standard value	检验结果 Test Result	单项判定 Single item judgment
8.	电源连接和外部软线/ Supply connection and external flexible cords		--	见 GB/T 4706.1-2024, GB/T 4706.23-2024 第 25 章	通过 Pass	符合 Conform
9.	接地措施/ Provision for earthing.	接地措施/ Provision for earthing.	--	见 GB/T 4706.1-2024, GB/T 4706.23-2024 第 27 章	通过 Pass	符合 Conform
		接地电阻/ Resistance	Ω	≤ 0.1	0.037 Ω	符合 Conform

注 意 事 项

NOTICE

- 1、 报告无“检验检测专用章”或检测单位公章无效。
The test report is invalid without “special stamp for inspection and testing” or official stamp of testing institute.
- 2、 复制报告未重新加盖“检验检测专用章”或检测单位公章无效。
The copy of test report is invalid when it is not re-stamped “special stamp for inspection and testing” or official stamp of testing institute.
- 3、 报告无主检、审核、批准人签章无效。
The test report is invalid when there are no signatures at “Tested by”, “Reviewed by” and “Approved by”.
- 4、 报告涂改无效。
The test report is invalid when it is altered.
- 5、 对报告若有异议，应于收到报告之日起十五日内向本机构提出书面意见，逾期不予受理。
If there is any disagreement with the test report, the formal notice shall be provided within 15 days from the test report being received. Otherwise, it shall not be accepted.
- 6、 本次委托检验仅对来样负责。
The entrusted testing only has the responsibility for the samples.
- 7、 本报告复印件应由中家院（北京）检测认证有限公司提供，未经本机构同意不得部分复制本报告。
The copy of test report shall be provided by CHEARI (Beijing) Certification & Testing Co., Ltd. The reproduction of any part is not allowed without written permission.
- 8、 未加盖资质认定标志的报告，不具有对社会的证明作用。
The report without the “CMA” stamp shall not have a certifying effect on the society

地址：北京市北京经济技术开发区博兴八路 3 号 邮政编码： 100176

Address: No.3, Boxing Balu, Beijing Economic and Technological
Development Area, Beijing, China/100176

电话(Tel): 010-58083700/58083800

传真(Fax): 010-58083766/58083788

E-mail: testing@cheari.com